

150 A

The MIG 150A fume extraction torch ensures the perfect combination of welding performance and effective protection of the environment around the welding area.


The torch will extract the fumes generated during MIG/MAG welding.

Simply connect the Fume Extraction Torch to either its synchronized automatic portable extractor or the manual alternative.



3M – 150 A

Extractor Torch -
MIG 150A – 3 M
ref. 043251



The fumes are
extracted directly.

INNOVATIVE TORCH

- **Ergonomic:** Its handle is equipped with a scroll button to quickly and easily set the air flow rate.
- The nozzle guarantees **optimal extraction** of the fumes as close as possible to the

THE PORTABLE EXTRACTOR

To extract the fumes, the torch must be connected to either of 2 choices of portable extractor:

- **manual:** working continuously
- **automatic:** working in synchronization with the fume extraction torch

The GYS extractor:

- Heavy and compact (15 Kg), easy to move to be used in any situation.
- High extraction capacity (200 m³/h)
- Air can be passed outside, Standards compliant.



Manual portable extractor: **ref.043244**
Automatic portable extractor: **ref.043237**

CONSUMABLES REFERENCES



Specific nozzle
ref. 043084



Contact tube
m6 x 10

Ø0.6 mm ref.041905
Ø0.8 mm ref.041912
Ø1.0 mm ref.041929

CE EN 60 974-1

CE EN 60974-1

	I _{max} Ar/CO ₂ 150A 60%	équipé d'origine original equipment originalausstattung equipamiento de fabrica (mm) Ø 0,8 - M6	 Ø mm 0,6>1	 50/60Hz 230V	 (m ³ /h) 200	 (W) 1100	 cm kg 39x21x50 15,6 (manuel) 16 (auto)	 (dB) 75 (manuel) 73 (auto)	