

The liquid-cooled MIG/MAG welding torches meet the needs of welders for a wide range of welding tasks. The GRIP handle's anti-slip coating and new ball joint provide you with exceptional working comfort.

### DESCRIPTION

This flashlight is very appreciated for the small size of the gooseneck.  
Use for precise work requiring medium power.


### FEATURES

- **Max current (Imax):** 300 A: CO2 and 270 A: Ar/CO2  
*In pulsed mode, these capacities are reduced by 35%.*
- **Duty cycle:** 270 A @ 100 %
- **Recommended wire diameters:** 0.8 to 1.2 mm
- **Lengths:** 3 m & 4 m



### CONSUMABLES

#### Torch



#### Contact tube supports & diffusers

STEEL	ALU
043589	

STEEL	ALU
	043541

#### Contact tubes

	STEEL	ALU
Ø 0.6	041905	-
Ø 0.8	041950	041059
Ø 1.0	041967	041066
Ø 1.2	041974 ●●	041073 ●●●

#### Nozzles

	STEEL
Ø 12	043534 ●●●●

	ALU
Ø 17	046221

### Sheath

	Ø 0.6/0.8		Ø 1.0 & 1.2		Ø 1.2 & 1.6	
	3 m	4 m	3 m	4 m	3 m	4 m
Steel	041592	041837	041608 ●	041844 ●	418417	418424
Teflon	041578	044050	041585 ●	044067 ●	-	044074
Carbon	-	039834	-	039827	-	039810

- Original steel equipment 3 m
- Original aluminium equipment 3 m

- Original steel equipment 4 m
- Original aluminium equipment 4 m